


PRODUCTS & SERVICES





CUP PIG

Romstar Polymer Cup Pig is configured with four standard **Cups**. It is designed conical in shape and possess high flexibility and the configuration can be modify based on application.

Due to its dynamic design, our Cup is capable to operate in various wall thickness for the same pipeline size.

Best suited for batching and dewatering also recommended when cleaning large amount of deposits as lift-off effect from the **Cup** helps to reduce resistance and blocking from the collected deposits in front of the pig.



BIDI STANDARD

Romstar Polymer Bi-Directional Pig is designed to be able to travel either direction. Equipped with six discs configured of two **Guiding Disc** which provide support and scraping and four flexible Sealing Discs to seal and sweep.

Geared with supreme polyurethane with high abrasion resistance that can last up to 300km course of route in a single run. It is primarily used for batching, gauging, live pipe cleaning and water displacement application.



SPRAY PIG

Defy gravity with **Romstar Polymer Spray Pig**. Batching with corrosion inhibitor fluid can reduce corrosion growth however inhibitor is always settled along the bottom of the pipeline due to gravity.




Romstar Polymer Spray Pig is designed to spray the upper part of the pipeline evenly at high pressure using existing pressure that propel the pig.

Counterweight helps to maintain precise nozzle orientation to continue full upper pipeline coating throughout the pig run.

BIDI STANDARD

Overall Parts No.	Size (Inch)	PU with Part No.								Metal Parts			OD (mm)			ID (mm)	Length (mm) ± 10 to ± 20	Min Bend Radius	Est. Weight
		Bumper	Part No.	Guiding Disc	Part No.	Sealing Disc	Part No.	Spacer	Part No.	Body	Flanges / Lifting Point	Part No.	Sealing Disc	Guiding Disc	Spacer				
													D1	D2	D3		L1	xD	Kg
FB04PS-S	4	1	UB0485-PS	2	UG0485-PS	4	US0470-PS	6	UR0485-PS	1	2	MB0400-PS	114	104	60	40	235	1.5D	4.6
FB06PS-S	6	1	UB0685-PS	2	UG0685-PS	4	US0670-PS	6	UR0685-PS	1	2	MB0600-PS	168	158	100	60	305	1.5D	6.5
FB08PS-S	8	1	UB0885-PS	2	UG0885-PS	4	US0870-PS	6	UR0885-PS	1	2	MB0800-PS	219	211	130	92	385	1.5D	12
FB10PS-S	10	1	UB1085-PS	2	UG1085-PS	4	US1070-PS	6	UR1085-PS	1	2	MB1000-PS	273	254	175	112	475	1.5D	25
FB12PS-S	12	1	UB1285-PS	2	UG1285-PS	4	US1270-PS	6	UR1285-PS	1	2	MB1200-PS	323	311	200	132	560	1.5D	32
FB14PS-S	14	1	UB1485-PS	2	UG1485-PS	4	US1470-PS	6	UR1485-PS	1	2	MB1400-PS	355	340	220	132	610	1.5D	39
FB16PS-S	16	1	UB1685-PS	2	UG1685-PS	4	US1670-PS	6	UR1685-PS	1	2	MB1600-PS	396	378	220	142	640	1.5D	40
FB18PS-S	18	1	UB1885-PS	2	UG1885-PS	4	US1870-PS	6	UR1885-PS	1	2	MB1800-PS	447	428	310	222	715	1.5D	55
FB20PS-S	20	1	UB2085-PS	2	UG2085-PS	4	US2070-PS	6	UR2085-PS	1	2	MB2000-PS	498	478	360	222	788	1.5D	89
FB22PS-S	22	1	UB2285-PS	2	UG2285-PS	4	US2270-PS	6	UR2285-PS	1	2	MB2200-PS	549	529	360	222	848	1.5D	95
FB24PS-S	24	1	UB2485-PS	2	UG2485-PS	4	US2470-PS	6	UR2485-PS	1	2	MB2400-PS	600	580	400	276	933	1.5D	155
FB26PS-S	26	1	UB2685-PS	2	UG2685-PS	4	US2670-PS	6	UR2685-PS	1	2	MB2600-PS	650	630	480	360	1000	1.5D	190
FB28PS-S	28	1	UB2885-PS	2	UG2885-PS	4	US2870-PS	6	UR2885-PS	1	2	MB2800-PS	693	678	520	360	1050	1.5D	245
FB30PS-S	30	1	UB3085-PS	2	UG3085-PS	4	US3070-PS	6	UR3085-PS	1	2	MB3000-PS	751	725	570	410	1148	1.5D	350
FB32PS-S	32	1	UB3285-PS	2	UG3285-PS	4	US3270-PS	6	UR3285-PS	1	2	MB3200-PS	800	776	625	461	1178	1.5D	380
FB34PS-S	34	1	UB3485-PS	2	UG3485-PS	4	US3470-PS	6	UR3485-PS	1	2	MB3400-PS	846	820	625	461	1230	1.5D	390
FB36PS-S	36	1	UB3685-PS	2	UG3685-PS	4	US3670-PS	6	UR3685-PS	1	2	MB3600-PS	898	860	660	512	1368	1.5D	405
FB38PS-S	38	1	UB3885-PS	2	UG3885-PS	4	US3870-PS	6	UR3885-PS	1	2	MB3800-PS	950	920	660	512	1438	1.5D	440
FB40PS-S	40	1	UB4085-PS	2	UG4085-PS	4	US4070-PS	6	UR4085-PS	1	2	MB4000-PS	1002	968	725	565	1527	1.5D	460
FB42PS-S	42	1	UB4285-PS	2	UG4285-PS	4	US4270-PS	6	UR4285-PS	1	2	MB4200-PS	1050	1020	725	565	1578	1.5D	495





BIDI STANDARD



CUP PIG

Overall Parts No.	Size (Inch)	PU with Part No.						Metal Parts			OD (mm)		ID (mm)	Length (mm) ±10 to ±20	Min Bend Radius	Est Weight
		Bumper	Part No.	Cup	Part No.	Spacer	Part No.	Body	Flanges / Lifting Point	Part No.	Cup	Spacer		L1	xD	Kg
											D4	D3				
FC04PC4-S	4	1	UB0485-PS	4	UC0470-PS	6	UR0485-PS	1	2	MB0400-PS	114	60	40	180	1.5D	2.6
FC06PC4-S	6	1	UB0685-PS	4	UC0670-PS	6	UR0685-PS	1	2	MB0600-PS	168	100	60	319	1.5D	4.5
FC08PC4-S	8	1	UB0885-PS	4	UC0870-PS	6	UR0885-PS	1	2	MB0800-PS	219	130	92	370	1.5D	12.0
FC10PC4-S	10	1	UB1085-PS	4	UC1070-PS	6	UR1085-PS	1	2	MB1000-PS	270	175	112	450	1.5D	25.0
FC12PC4-S	12	1	UB1285-PS	4	UC1270-PS	6	UR1285-PS	1	2	MB1200-PS	328	200	132	500	1.5D	32.0
FC14PC4-S	14	1	UB1485-PS	4	UC1470-PS	6	UR1485-PS	1	2	MB1400-PS	358	220	132	508	1.5D	39.0
FC16PC4-S	16	1	UB1685-PS	4	UC1670-PS	6	UR1685-PS	1	2	MB1600-PS	411	220	142	640	1.5D	60.0
FC18PC4-S	18	1	UB1885-PS	4	UC1870-PS	6	UR1885-PS	1	2	MB1800-PS	464	310	222	740	1.5D	77.0
FC20PC4-S	20	1	UB2085-PS	4	UC2070-PS	6	UR2085-PS	1	2	MB2000-PS	516	360	222	788	1.5D	121.0
FC22PC4-S	22	1	UB2285-PS	4	UC2270-PS	6	UR2285-PS	1	2	MB2200-PS	568	360	222	872	1.5D	127.0
FC24PC4-S	24	1	UB2485-PS	4	UC2470-PS	6	UR2485-PS	1	2	MB2400-PS	620	400	276	980	1.5D	150.0
FC26PC4-S	26	1	UB2685-PS	4	UC2670-PS	6	UR2685-PS	1	2	MB2600-PS	660	480	360	1100	1.5D	165.0
FC28PC4-S	28	1	UB2885-PS	4	UC2870-PS	6	UR2885-PS	1	2	MB2800-PS	717	520	360	1100	1.5D	172.0
FC30PC4-S	30	1	UB3085-PS	4	UC3070-PS	6	UR3085-PS	1	2	MB3000-PS	762	570	410	1225	1.5D	202.0
FC32PC4-S	32	1	UB3285-PS	4	UC3270-PS	6	UR3285-PS	1	2	MB3200-PS	813	625	461	1294	1.5D	238.0
FC34PC4-S	34	1	UB3485-PS	4	UC3470-PS	6	UR3485-PS	1	2	MB3400-PS	864	625	461	1300	1.5D	294.0
FC36PC4-S	36	1	UB3685-PS	4	UC3670-PS	6	UR3685-PS	1	2	MB3600-PS	914	660	512	1468	1.5D	342.0
FC38PC4-S	38	1	UB3885-PS	4	UC3870-PS	6	UR3885-PS	1	2	MB3800-PS	965	660	512	1530	1.5D	463.0
FC40PC4-S	40	1	UB4085-PS	4	UC4070-PS	6	UR4085-PS	1	2	MB4000-PS	1020	725	565	1530	1.5D	476.0
FC42PC4-S	42	1	UB4285-PS	4	UC4270-PS	6	UR4285-PS	1	2	MB4200-PS	1674	725	565	1674	1.5D	604.0





CUP PIG



SPRAY PIG

Overall Parts No.	Size (Inch)	Metal Parts		Spray Side Fitting				OD (mm)	ID (mm)	Length (mm)		Min Bend Radius	Est Weight
								Cup		Overall	Cleaning	xD	Kg
		Filter Set	Part No.	Housing Suction	Part No.	Nozzles	Part No.	D4		L1	L2		
FC04PC4-S	4	1 SET	FSS04	1 SET	HN0400-N	2	CN-S-00	114	40	180	167	1.5D	2.6
FC06PC4-S	6		FSS06		HN0600-N	3	CN-S-00	168	60	322	280	1.5D	4.5
FC08PC4-S	8		FSS08		HN0800-N	3	CN-S1-00	219	92	410	346	1.5D	12.0
FC10PC4-S	10		FSS10		HN1000-N	4	CN-S1-00	270	112	470	406	1.5D	25.0
FC12PC4-S	12		FSS12		HN1200-N	5	CN-M-00	328	132	516	442	1.5D	32.0
FC14PC4-S	14		FSS14		HN1400-N	5	CN-M-00	358	132	540	470	1.5D	39.0
FC16PC4-S	16		FSS16		HN1600-N	5	CN-M-00	411	142	587	520	1.5D	60.0
FC18PC4-S	18		FSS18		HN1800-N	9	CN-M-00	464	222	684	612	1.5D	77.0
FC20PC4-S	20		FSS20		HN2000-N	9	CN-M-00	516	222	745	674	1.5D	121.0
FC22PC4-S	22		FSS22		HN2200-N	10	CN-M-00	568	222	872	721	1.5D	127.0
FC24PC4-S	24		FSS24		HN2400-N	10	CN-M-00	620	276	980	823	1.5D	150.0
FC26PC4-S	26		FSS26		HN2600-N	9	CN-L-00	660	360	1100	930	1.5D	165.0
FC28PC4-S	28		FSS28		HN2800-N	9	CN-L-00	717	360	1050	933	1.5D	172.0
FC30PC4-S	30		FSS30		HN3000-N	9	CN-L-00	762	410	1225	980	1.5D	202.0
FC32PC4-S	32		FSS32		HN3200-N	10	CN-L-00	813	461	1294	1056	1.5D	238.0
FC34PC4-S	34		FSS34		HN3400-N	10	CN-L-00	864	461	1300	1106	1.5D	294.0
FC36PC4-S	36		FSS36		HN3600-N	12	CN-L-00	914	512	1468	1255	1.5D	342.0
FC38PC4-S	38		FSS38		HN0400-N	14	CN-L-00	965	512	1530	1317	1.5D	463.0
FC40PC4-S	40		FSS40		HN0400-N	14	CN-L-00	1020	565	1530	1293	1.5D	476.0
FC42PC4-S	42		FSS42		HN0400-N	14	CN-L-00	1674	565	1674	1455	1.5D	604.0

SPRAY PIG




BIDI SCRAPER

Paraffin from oil wells solidifies into wax on pipe walls that restrict flow and create turbulent which drastically reduced the pipeline efficiency.

Romstar Polymer Scarper Pig geared with specially design blades to scape pipeline wax and along with scales and rust from corrosion built up.

With complete circumferential coverage, you can be sure that every inch of the pipe wall is aggressively cleaned. The blades made from corrosion resistance stainless steel material that prolong their lifespan. We also have polyurethane blades for sensitive pipeline. Can be incorporated with our cleaning brush for better performance.



BIDI BRUSH





Eliminate sand, sludge, wax, rust and scales by simply launching **Romstar Polymer Brush Pig**.

Comes with various form of brushes from the robustness of stainless steel pencil brush, standard application of wire brush and gentle cleaning using nylon brush.

We can mix and configure the perfect **Romstar Polymer Bidi Brush** depending on your needs and application to suit your pipeline cleaning operation.

BIDI WITH SCRAPER										
Overall Parts No.	Size (Inch)	Accessories		OD (mm)				Length (mm)	Min Bend Radius	Est. Weight
				Scraper	D1	D2	D3	Overall		
		Scraper	Part No	ø*				L1	x D	Kg
FB04PS-DS	4	1 Side	AS0415-SS	OD of Scraper Blade is 110% of Pipeline ID		D1, D2 and D3 referred to standard Bidi	235	1.5D	4.7	
FB06PS-DS	6	1 Side	AS0615-SS				305	1.5D	6.7	
FB08PS-DS	8	1 Side	AS0815-SS				385	1.5D	1	
FB10PS-DS	10	1 Side	AS1015-SS				475	1.5D	26	
FB12PS-DS	12	1 Side	AS1215-SS				560	1.5D	33	
FB14PS-DS	14	1 Side	AS1415-SS				610	1.5D	40	
FB16PS-DS	16	1 Side	AS1615-SS				640	1.5D	42	
FB18PS-DS	18	2 Side	AS1815-SS				715	1.5D	56	
FB20PS-DS	20	2 Side	AS2015-SS				788	1.5D	90	
FB22PS-DS	22	2 Side	AS2220-SS				848	1.5D	96	
FB24PS-DS	24	2 Side	AS2420-SS				933	1.5D	156	
FB26PS-DS	26	2 Side	AS2620-SS				1000	1.5D	191	
FB28PS-DS	28	2 Side	AS2820-SS				1050	1.5D	246	
FB30PS-DS	30	2 Side	AS3020-SS				1148	1.5D	351	
FB32PS-DS	32	2 Side	AS3225-SS				1178	1.5D	381	
FB34PS-DS	34	2 Side	AS3425-SS				1230	1.5D	391	
FB36PS-DS	36	2 Side	AS3625-SS				1368	1.5D	406	
FB38PS-DS	38	2 Side	AS3825-SS				1438	1.5D	441	
FB40PS-DS	40	2 Side	AS4025-SS				1527	1.5D	463	
FB42PS-DS	42	2 Side	AS4225-SS				1578	1.5D	500	





BIDI SCRAPER



BIDI BRUSH

Overall Parts No.	Size (Inch)	Accessories				OD (mm)				Length (mm)	Min Bend Radius	Est. Weight
		Brush	Nylon	Galvanized	Pencil	Brush	D1	D2	D3	Overall		
			Part No	Part No	Part No	ø*				L1	x D	Kg
FB04PS-S	4	1 set	AB04114-WS	AB04114-WM	AB04114-WH	117.50	D1, D2 and D3 referred to Standard Bidi			235	1.5D	4.6
FB06PS-S	6	1 set	AB06168-WS	AB06168-WM	AB06168-WH	168.30				305	1.5D	6.6
FB08PS-S	8	1 set	AB08219-WS	AB08219-WM	AB08219-WH	219.08				385	1.5D	12.5
FB10PS-S	10	1 set	AB10273-WS	AB10273-WM	AB10273-WH	273.05				475	1.5D	25.5
FB12PS-S	12	1 set	AB12323-WS	AB12323-WM	AB12323-WH	323.85				560	1.5D	33
FB14PS-S	14	1 set	AB14355-WS	AB14355-WM	AB14355-WH	355.60				610	1.5D	40
FB16PS-S	16	1 set	AB16406-WS	AB16406-WM	AB16406-WH	406.40				640	1.5D	41
FB18PS-S	18	1 set	AB18457-WS	AB18457-WM	AB18457-WH	457.20				689	1.5D	56
FB20PS-S	20	1 set	AB20508-WS	AB20508-WM	AB20508-WH	508.00				758	1.5D	90
FB22PS-S	22	1 set	AB22559-WS	AB22559-WM	AB22559-WH	558.80				818	1.5D	100
FB24PS-S	24	1 set	AB24610-WS	AB24610-WM	AB24610-WH	609.60				906	1.5D	160
FB26PS-S	26	1 set	AB26660-WS	AB26660-WM	AB26660-WH	660.40				982	1.5D	200
FB28PS-S	28	1 set	AB28711-WS	AB28711-WM	AB28711-WH	711.20				1027	1.5D	260
FB30PS-S	30	1 set	AB30762-WS	AB30762-WM	AB30762-WH	762.00				1112	1.5D	360
FB32PS-S	32	1 set	AB32813-WS	AB32813-WM	AB32813-WH	812.80				1142	1.5D	400
FB34PS-S	34	1 set	AB34864-WS	AB34864-WM	AB34864-WH	863.60				1230	1.5D	400
FB36PS-S	36	1 set	AB36914-WS	AB36914-WM	AB36914-WH	914.40				1326	1.5D	420
FB38PS-S	38	1 set	AB38965-WS	AB38965-WM	AB38965-WH	965.20				1438	1.5D	460
FB40PS-S	40	1 set	AB401016-WS	AB401016-WM	AB401016-WH	1,016.00				1527	1.5D	490
FB42PS-S	42	1 set	AB421067-WS	AB421067-WM	AB421067-WH	1,066.80				1526	1.5D	500


BIDI BRUSH



BIDI GAUGE

Not knowing your internal pipeline condition can be risky for your pipeline pigging operation.

Clear your doubt by launching **Romstar Polymer Gauge Pig**. Aluminium gauge will provide you transparent info on your internal pipeline restriction, minimum bend radius and overall pipeline geometrical state.



BIDI MAGNET



Attracting welding rods, ferrous debris, steel dust and corroded product never been this easy with **Romstar Polymer Magnetic Pig**.

Strong magnet with large surface magnetic field coverage give excellent debris pick-up, hold and secure it until the pig received at pipe end.

At the same time the powerful magnet act as transmitter for non-intrusive magnetic detection.





BIDI WITH MAGNET											
Overall Parts No.	Size (Inch)	Accessories			OD (mm)			Length	Min Bend Radius	Est. Weight	
					Magnet	D1	D2	D3			Overall
		Size Magnet	Part No	ø*							L1
FB04PS-MA	4	40x26x10	4	AM04-RS	53.5	D1, D2 and D3 referred to Standard Bidi			235	1.5D	4.6
FB06PS-MA	6	40x26x10	4	AM06-RS	80				305	1.5D	6.5
FB08PS-MA	8	40x26x10	6	AM08-RS	110				385	1.5D	12
FB10PS-MA	10	40x26x10	6	AM10-RS	132				475	1.5D	25
FB12PS-MA	12	50x40x20	6	AM12-RS	167				560	1.5D	32
FB14PS-MA	14	50x40x20	6	AM14-RS	167				610	1.5D	39
FB16PS-MA	16	50x40x20	8	AM16-RS	182				640	1.5D	40
FB18PS-MA	18	50x40x20	8	AM18-RS	260				715	1.5D	55
FB20PS-MA	20	70x40x20	6	AM20-RS	260				788	1.5D	89
FB22PS-MA	22	70x40x20	6	AM22-RS	260				848	1.5D	95
FB24PS-MA	24	70x40x20	6	AM24-RS	315				933	1.5D	155
FB26PS-MA	26	70x40x20	6	AM26-RS	395				1000	1.5D	190
FB28PS-MA	28	70x40x20	8	AM28-RS	395				1050	1.5D	245
FB30PS-MA	30	70x40x20	8	AM30-RS	450				1148	1.5D	350
FB32PS-MA	32	70x40x20	8	AM32-RS	500				1178	1.5D	380
FB34PS-MA	34	70x40x20	8	AM34-RS	500				1230	1.5D	390
FB36PS-MA	36	70x40x20	8	AM36-RS	552				1368	1.5D	405
FB38PS-MA	38	70x40x20	8	AM38-RS	552				1438	1.5D	440
FB40PS-MA	40	70x40x20	8	AM40-RS	605				1527	1.5D	460
FB42PS-MA	42	70x40x20	8	AM42-RS	605				1578	1.5D	495

BIDI MAGNET



BIDI WITH GAUGE										
Overall Parts No.	Size (Inch)	Accessories		OD (mm)				Length (mm)	Min Bend Radius	Est. Weight
				Gauge	D1	D2	D3	Overall		
		Gauge	Part No	ø*				L1	x D	Kg
FB04PS-GP	4	1 set	AG04-A3	OD of the Gauge is 95% of Pipeline ID or custom size as requested by Client	D1, D2 and D3 referred to Standard Bidi		235	1.5D	4.2	
FB06PS-GP	6	1 set	AG06-A3				305	1.5D	6.2	
FB08PS-GP	8	1 set	AG08-A3				385	1.5D	12.3	
FB10PS-GP	10	1 set	AG10-A3				475	1.5D	25.3	
FB12PS-GP	12	1 set	AG12-A5				560	1.5D	33	
FB14PS-GP	14	1 set	AG14-A5				610	1.5D	40	
FB16PS-GP	16	1 set	AG16-A5				640	1.5D	41	
FB18PS-GP	18	1 set	AG18-A5				689	1.5D	56	
FB20PS-GP	20	1 set	AG20-A8				758	1.5D	90	
FB22PS-GP	22	1 set	AG22-A8				818	1.5D	100	
FB24PS-GP	24	1 set	AG24-A8				906	1.5D	160	
FB26PS-GP	26	1 set	AG26-A8				982	1.5D	200	
FB28PS-GP	28	1 set	AG28-A8				1027	1.5D	260	
FB30PS-GP	30	1 set	AG30-A10				1112	1.5D	360	
FB32PS-GP	32	1 set	AG32-A10				1142	1.5D	400	
FB34PS-GP	34	1 set	AG34-A10				1230	1.5D	390	
FB36PS-GP	36	1 set	AG36-A10				1326	1.5D	420	
FB38PS-GP	38	1 set	AG38-A10				1438	1.5D	460	
FB40PS-GP	40	1 set	AG40-A10				1527	1.5D	490	
FB42PS-GP	42	1 set	AG42-A10				1526	1.5D	500	

BIDI GAUGE




**FOAM PIG
CRISS CROSS COATED FOAM
- CLEANING TOOL IMAGE**

Foam pigs are highly versatile cleaning instrument for variety of application.


We sell Medium Density and High Density foam pig from 4" to 42".

Available in four different types. Bare foam pig, criss-cross foam pig, fully coated foam pig and fully coated foam pig with brush.





FULLY COATED FOAM1



FOAM PIG										
No.	Size (Inch)	High Density Polyurethane Coating Parts No.		Medium Density Polyurethane Coating Parts No.		OD (mm)	Length (mm)		Foam Density	
				Fully Coated	Criss Cross	øA	Overall	Cylindrical		
		Fully Coated	Criss Cross				L1	L2	High	Medium
1	4	FC04H	CC04H	FC04M	CC04M	108	205	163	8 - 10 lbs/Cu.ft	5 - 7 lbs/Cu.ft
2	6	FC06H	CC06H	FC06M	CC06M	159	304	240		
3	8	FC08H	CC08H	FC08M	CC08M	212	402	318		
4	10	FC10H	CC10H	FC10M	CC10M	266	450	375		
5	12	FC12H	CC12H	FC12M	CC12M	318	580	460		
6	14	FC14H	CC14H	FC14M	CC14M	350	695	550		
7	16	FC16H	CC16H	FC16M	CC16M	403	750	605		
8	18	FC18H	CC18H	FC18M	CC18M	454	850	680		
9	20	FC20H	CC20H	FC20M	CC20M	504	950	752		
10	22	FC22H	CC22H	FC22M	CC22M	552	1028	818		
11	24	FC24H	CC24H	FC24M	CC24M	609	1140	912		
12	26	FC26H	CC26H	FC26M	CC26M	660	1260	1000		
13	28	FC28H	CC28H	FC28M	CC28M	707	1334	1062		
14	30	FC30H	CC30H	FC30M	CC30M	765	1423	1145		
15	32	FC32H	CC32H	FC32M	CC32M	810	1546	1229		
16	34	FC34H	CC34H	FC34M	CC34M	850	1586	1260		
17	36	FC36H	CC36H	FC36M	CC36M	909	1710	1370		
18	38	FC38H	CC38H	FC38M	CC38M	970	1795	1435		
19	40	FC40H	CC40H	FC40M	CC40M	1020	1895	1515		
20	42	FC42H	CC42H	FC42M	CC42M	1066	2005	1600		



FOAM PIG



Criss Cross Coated



Fully Coated



ROMSTAR SDN BHD (420018-H)
ROMSTAR RESEARCH & DEVELOPMENT SDN BHD (568725-K)
STAR POLYMER SDN BHD (479109-V)

No. 8 Jalan 5/91A, Taman Shamelin Perkasa, 56100 Kuala Lumpur, Malaysia.

Tel : +603 9282 3434 Fax : +603 9282 4434

Email : romstar@romstargroup.com

GPS : N03°07.265'E101°44.362'